

## **IN THE CLAIMS:**

### **Amendments to the Claims**

Please amend claims 3, 5-7 and 14-20 and add the new claim as shown below.

### **Listing of Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (original) An electron microscope, which comprises: a casing for encasing an assembly and a display disposed to the casing, wherein the assembly comprises a vacuum container, a vacuum pump for evacuating the vacuum container, an electron emitter disposed in the vacuum container, a sample chamber disposed in the vacuum container, and a detector for detecting an electron beam emitted from a sample placed in the sample chamber.
2. (original) The electron microscope as defined in claim 1, wherein the assembly being capable of projecting from the casing.
3. (currently amended) The electron microscope as defined in claim 1, wherein ~~the~~ components constituting the assembly are integrally united in the casing.
4. (original) The electron microscope as defined in claim 1, wherein the vacuum pump is a turbo molecule pump.
5. (currently amended) The electron microscope as defined in claim 1, wherein a shock absorber is disposed between the vacuum pump and the vacuum ~~chamber~~ container.

6. (currently amended) The electron microscope as defined in claim 1, wherein the vacuum pump is a turbo molecule pump and a shock absorber is disposed between the vacuum pump and the vacuum-chamber container.

7. (currently amended) The electron microscope as defined in claim 1, wherein there are a plurality of vacuum pumps, the pumps being arranged symmetrically around the vacuum-chamber container.

8. (original) The electron microscope as defined in claim 1, wherein the electron emitter is a nano sized wire that has a tip of a radius of curvature of 100 nm or less.

9. (original) The electron microscope as defined in claim 1, wherein the electron emitter is a carbon nanotube.

10. (original) The electron microscope as defined in claim 1, wherein the casing has the total of the longitudinal length, the lateral length and the height of 150 mm or less, and the weight of the microscope is 25 kg or less.

11. (original) The electron microscope as defined in claim 1, wherein the power consumption is 1500W or less.

12. (original) The electron microscope as defined in claim 1, wherein the vacuum pump is surrounded by a sonic absorber.

13. (original) The electron microscope as defined in claim 1, wherein music player or image display is done during vacuum evacuation.

14. (currently amended) The electron microscope as defined in claim 1, wherein a part of ~~the~~an outer frame of ~~the united electron microscope components~~constituting the assembly which are integrally united in the casing is transparent-colored.

15. (currently amended) An electron microscope, which comprises:  
an assembly comprising a vacuum container, an electron emitter, a vacuum pump, a sample chamber and an electron beam detector;  
an electron lens for controlling tracks of an electron beam;  
a display for displaying an image based on signals obtained by the detector;  
and  
a control power source, wherein ~~the~~at least members ~~listed above of the~~assembly are all encased in a casing.

16. (currently amended) The electron microscope as defined in claim-~~43~~15, wherein the vacuum pump is a turbo molecule pump, and a shock absorber is disposed between the vacuum pump and the vacuum container.

17. (currently amended) The electron microscope as defined in claim-~~43~~15, wherein there is a plurality of vacuum pumps, which are symmetrically disposed around the vacuum container.

18. (currently amended) The electron microscope as defined in claim-~~43~~15, wherein the electron emitter has a carbon nanotube.

19. (currently amended) The electron microscope as ~~define in~~defined in claim-~~43~~15, wherein the vacuum pump is a turbo vacuum pump having a plurality of evacuation ports each being different in evacuation capacity, the evacuation port of

lower evacuation capacity being disposed at the sample chamber side and the evacuation port of higher evacuation capacity being disposed at the electron emitter side.

20. (currently amended) The electron microscope as defined in claim ~~43~~ 15, wherein a part of the casing is a transparent-colored.

21. (new) The electron microscope as defined in claim 15, wherein the electron lens and the display are encased in the casing.